


# TERMODYNAMIC

Armaturi si automatizari industriale pentru retele de apa, termoficare, abur, gaze, petrochimie etc.




STRUMENTAZIONE  
INDUSTRIALE SRL



# TERMODYNAMIC

## OFERTA STOCURI – INSTRUMENTATIE



STRUMENTAZIONE  
INDUSTRIALE s.r.l.

Italia

## TERMODYNAMIC srl

Armaturi si elemente de automatizari industriale  
pentru retele de apa, termoficare, abur,  
gaze, fluide petrochimice etc.

Bucuresti, Str. Prof. Moise Nicoara, Nr. 36,  
Bl. D2, Sc. A, Ap. 34, Sector 3

[termodynamic@termodynamic.com](mailto:termodynamic@termodynamic.com)

[www.termodynamic.com](http://www.termodynamic.com)

### TERMODYNAMIC S.R.L.

#### Sediu social:

Str. Prof. Moise Nicoara 36,  
Bl. D2, Sc. A, Ap. 34, Sector 3,  
Bucuresti - Romania  
Tel/Fax: +4-021-3226002

#### Punct de lucru:

Str. Dârza, nr. 15A, Sector 1,  
Bucuresti - Romania  
Tel/Fax: +4-031-1098857

Mobil: +4-0722303910 ; +4-0724000880

[www.termodynamic.com](http://www.termodynamic.com)

email: [termodynamic@termodynamic.com](mailto:termodynamic@termodynamic.com)

Cod fiscal: RO10078376


R.C.: J40/10368/1997

BLOM BANK SMB







IBAN: RO06BLOM2511106333400001

# TERMODYNAMIC

Armaturi si automatizari industriale pentru retele de apa, termoficare, abur, gaze, petrochimie etc.



2/3

Imagine produs	Descriere generala	Pret unitar [EUR]
	<p>Manometre seria HDG.ODA,</p> <ul style="list-style-type: none"><li>- diametru cadran 40mm</li><li>- carcasa din material plastic (ABS)</li><li>- conexiune proces G1/8" axial, alama</li><li>- clasa de precizie 2,5</li><li>- domenii de masura: 0.../...25 bar</li><li>- domenii disponibile in stoc: 0.../...16 bar</li></ul>	6,70 EUR
	<p>Manometre seria HDG.ODB,</p> <ul style="list-style-type: none"><li>- diametru cadran 50mm</li><li>- carcasa din material plastic (ABS)</li><li>- conexiune proces G1/4" axial, alama</li><li>- clasa de precizie 2,5</li><li>- domenii de masura: 0.../...16 bar</li><li>- domenii disponibile in stoc: 0.../...16 bar</li></ul>	6,92 EUR
	<p>Manometre seria HDG.OAC,</p> <ul style="list-style-type: none"><li>- diametru cadran 63mm</li><li>- carcasa din material plastic (ABS)</li><li>- conexiune proces G1/4" radial, alama</li><li>- clasa de precizie 2,5</li><li>- domenii de masura: 0.../...25 bar</li><li>- domenii disponibile in stoc: 0.../...16 bar</li></ul>	7,78 EUR
	<p>Manometre seria HDG.OAE,</p> <ul style="list-style-type: none"><li>- diametru cadran 100mm</li><li>- carcasa din material plastic (ABS)</li><li>- conexiune proces G1/2" radial, alama</li><li>- clasa de precizie 2,5</li><li>- domenii de masura: 0.../...40 bar</li><li>- domenii disponibile in stoc: 0.../...16 bar</li></ul>	19,12 EUR
	<p>Manometre seria 103A.C,</p> <ul style="list-style-type: none"><li>- diametru cadran 63mm</li><li>- carcasa din inox umpluta cu glicerina</li><li>- conexiune proces G1/4" radial, alama</li><li>- clasa de precizie 1,6</li><li>- domenii de masura: 0.../...400 bar</li><li>- domenii disponibile in stoc: 0.../...25 bar</li></ul>	17,16 EUR
	<p>Manometre seria 042A.E,</p> <ul style="list-style-type: none"><li>- diametru cadran 100mm</li><li>- carcasa din inox</li><li>- conexiune proces G1/2" radial, alama</li><li>- clasa de precizie 1,6</li><li>- domenii de masura: 0.../...400 bar</li><li>- domenii disponibile in stoc: 0.../...16 bar</li></ul>	48,68 EUR

## TERMODYNAMIC S.R.L.

### Sediul social:

Str. Prof. Moise Nicoara 36,  
Bl. D2, Sc. A, Ap. 34, Sector 3,  
Bucuresti - Romania  
Tel/Fax: +4-021-3226002

### Punct de lucru:

Str. Dârza, nr. 15A, Sector 1,  
Bucuresti - Romania  
Tel/Fax: +4-031-1098857

Mobil: +4-0722303910 ; +4-0724000880  
www.termodynamicom.com  
email: termodynamicom@termodynamicom.com

Cod fiscal: RO10078376  
R.C.: J40/10368/1997  
BLOM BANK SMB  
IBAN: RO06BLOM251110633340001

# TERMODYNAMIC





Armaturi si automatizari industriale pentru retele de apa, termoficare, abur, gaze, petrochimie etc.



STRUMENTAZIONE  
INDUSTRIALE SRL



3/3

	Robinet izolare manometru, cu flansa de test, seria MP3/2F, - corp alama - conexiuni G1/2" FE x G1/2" FI sau G1/4" FE x G1/4" FI	18,00 EUR
	Sifon din cupru nichelat, seria MP5/1, - conexiuni G1/2" FE x G1/2" FI	29,00 EUR
	Robinet izolare manometru, seria VPO5LR TT, - total inox 316L - etansare PTFE - conexiune G1/2" FE x G1/2" FI	76,00 EUR
	Sifon din din otel, seria MP5/22, - conexiuni G1/2" FE x G1/2" FI	78,00 EUR

Diverse alte tipuri / configuratii disponibile la cerere, cu livrare standard in 10-15 zile.

Oferta completa disponibila pe siteul nostru – [www.termodynamic.com](http://www.termodynamic.com) sau la cerere, printr-o solicitare pe adresa noastra de email – [termodynamic@termodynamic.com](mailto:termodynamic@termodynamic.com)

## TERMODYNAMIC S.R.L.

### Sediu social:

Str. Prof. Moise Nicoara 36,  
Bl. D2, Sc. A, Ap. 34, Sector 3,  
Bucuresti - Romania  
Tel/Fax: +4-021-3226002

### Punct de lucru:

Str. Dârza, nr. 15A, Sector 1,  
Bucuresti - Romania  
Tel/Fax: +4-031-1098857

Mobil: +4-0722303910 ; +4-0724000880

[www.termodynamic.com](http://www.termodynamic.com)

email: [termodynamic@termodynamic.com](mailto:termodynamic@termodynamic.com)

Cod fiscal: RO10078376

R.C.: J40/10368/1997

BLOM BANK SMB

IBAN: RO06BLOM251110633340001